







STRATOS



The platform stairlift for straight and curved staircases

The STRATOS platform lift is the perfect solution to make indoor and outdoor staircases accessible for the wheelchair driver. The smooth transport of electrically powered wheelchairs is guaranteed by a loading capacity of 300 kg. Thanks to the aesthetic and user friendly design, this lift fits into any environment and will improve the users independence and quality of life.

The robust construction ensures a long working life and a reliable performance. Confirming to the highest safety and quality standards, the STRATOS is an inexpensive way to manage staircases in a pleasant way. Due to the compact design the platform occupies only a minimum of space, keeping the staircase free of obstruction.

STRATOS

Reliability

Rigid platform mechanics and robust electronics provide for a low-maintenance performance and a high reliability of the platform functions, also in wet or cold conditions.

Quality and Safety

Numerous safety mechnisms fulfil the highest techncial standards. TÜV certified according to the European Norm EN 81-40.


Comfort

Fully automatic platform functions and ergonomic controls allow a simple and comfortable control of the platform.



Available **in any RAL colour**, the platform can blend elegantly into any surrounding or bring some colour into grey spaces






Robust design for **outdoor installations**









A **strong and stable** platform allows easy and safe access at the landings

Main advantages of the Stratos platform stairlift

- Slim and aesthetic design
- Installations on very narrow staircases
- Custom made platform sizes are possible
- Available in all RAL colours or as a stainless steel version
- Available as indoor and outdoor version
- Diagnostic display for status and error indication on the platform
- Platform frame and mechanics are built from solid steel parts making the platform robust and secure against vandalism
- TÜV approved and manufactured according to the European standard EN 81-40

An **elegant and modern** lift that fits smootly into any environment









Handset on spiral cable on the platform allows to comfortably control the platform while sitting in the wheelchair or on the folding seat




Joystick on the platform as an optional control function

Landing controls in an elegant design can be used as handheld controls or can be fixed to the wall

Stratos - Technical Specification

г	_	_	4	_
⊢	a	c	т	8
	u.	$\overline{}$	•	u

Loading capacity	Standard 225kg (optional 300kg)		
Platform width (min-max)	600 – 900 mm		
Platform length (min-max)	700 – 1300 mm		
Possible gradient	0 – 47°		
Speed	0,06 - 0,15 m/s		
Noise level	Under 60dB		
Temperature range	+45°C down to -15°C		
Minimum folded width	360 mm		
Power supply (for charger)	1 × 230V / 50-60Hz		
Certificates	TÜV certified according to EN 81-40		



Together we provide accessibility!

For further information please contact:



Platform stairlifts



Chair stairlifts



Vertical platformlifts



Stairclimbers



Poollifts





Official partner of:

