

That is why you can count on **LEHNER LIFTTECHNIK**...



SOLUTION-ORIENTATION

Our lifts are custom-made and precisely adapted to the local conditions. We look for solutions where others give up and thus provide a significant advantage.

SAFETY

Safety as the highest premise: All our products are manufactured according to the highest safety standards. This guarantees safe use for many years.

RELIABILITY

We put great emphasis on the durability of our products. Our portfolio includes reliable mobility solutions that ensure low-maintenance operation.

High-quality lift systems, that will convince

HUMANITY

For us, it is always the individual person that counts. All our daily efforts are aimed at maximising the independence of the users of our products.

PRICE/PERFORMANCE

We stand for affordable, high-quality lift systems. Our goal always is to offer our customers outstanding products at attractive prices.

EXPERIENCE

The dynamic team around company founder Max Lehner has been working for more than 30 years to enable a barrier-free life with our reliable lifts



"We are proud that every day, our lifts improve the lives of people with impaired mobility all over the world."

Company founder Max Lehner



AESTHETICS AND **SAFETY**COMBINED IN ONE PRODUCT



Numerous well-designed details make the vertical platformlift **Sigma** the perfect mobility solution for the private and public sector.

MAIN ADVANTAGES

- Drive by double chain for smooth operation
- Maximum protection thanks to safety floor, innovative safety gear and electric emergency lowering
- Aluminium components guarantee corrosion protection and low weight
- Audio feedback for intuitive operation
- Radio external control (either on pillars or portable)



PLATFORM LIGHTING

Ensures safe use around the clock



INTEGRATED ACCESS RAMP

No pit or fixed ramp is required on site at the lower stop



Pay attention to a low height of the construction at the upper stop. Ideally this should be < 1100 mm for a seamless connection with the railing on site.



ANY RAL COLOUR IS POSSIBLE

For the perfect overall look, any RAL colour can be individually selected on request (standard: RAL 9022)



ELEGANT SHAPE

At the upper landing the **Sigma** blends aesthetically into its surroundings with its low height of only 1100 millimetres



FOR ALL NEEDS

Depending on the requirements, the system can be installed indoors or outdoors. The lifting height is variable up to 3 metres and thereby contributes to the wide range of possible applications of the lift.

Therefore, the **Sigma** is an ideal solution for both public and private buildings - even for retrofitting.



When buying a vertical platformlift, make sure that it has an integrated emergency power supply. This guarantees safe lowering of the lift also in case of a power failure.






TECHNICAL SPECIFICATIONS

Load capacity	385 kg
Lifting height	min. 650, max. 3000 mm
Max. number of stops	4
Platform size	1100 x 1400 mm
Drive system	Double chain drive
Min. height of platform	50 mm
Standard colour	RAL 9022
Noise level	Under 60 dB
Temperature	+45 °C to -15 °C
Drive engine	1.0 kW
Power supply	1 x 230 V
Emergency power supply	Integrated as standard



+961 25 803965 | +961 81 060038







The ergonomically shaped control on the platform ensures maximum comfort during the drive



The optionally available automatic door opener convinces with its compact construction




When purchasing, make sure that the lift is equipped with platform lighting as standard. This allows comfortable operation at any time of the day.



+961 25 803965 | +961 81 060038

SIGMA

FOR INDEPENDENCE IN PEOPLE'S DAILY LIFE



Scan the QR code and test the configurator on our website





Official partner of:



Loc 1: Antelias, Seaside, SSS Bldg, beside AISHTI.

Loc 2: Bchamoun, Behind Louise Wegmann,

Andalos St. - SSS Bldg.

Tel: +961 71 260 007 Email: sales@sss-lb.com

www.sss-lb.com

