



PRODUCT DATA SHEET

Earthing components

Connection components for earth conductors

Lightning protection systems

Connection components for LPS conductors

Code: 6261831-71

Description: Stainless steel round to tape conductor connector (Ø8-10mm/30mm) with intermediate plate, code 6261831-71

Application

Clamp for connecting solid round or stranded conductor to tape conductor. Used in air termination system, down conductor system, earthing system.

Classification as per IEC EN 62561



- Heavy duty (H 100 kA)
- General use
- Intended to withstand a static mechanical load
- Non-permanent connection

| Technical characteristics - Installation instructions | |
|---|--|
| Material | Stainless steel (SSt grade V2A). |
| Description | Is consisted of two external plates with dimensions 50x50 mm and one intermediate plate. |
| Bolts / nuts | M6x25 mm, V2A stainless steel carriage bolts. / M6 V2A stainless steel nuts. |
| Conductor's dimensions | Ø8–10 mm (50–70 mm2). |
| Tape's dimensions | Up to 30 mm width and 5 mm thickness. |
| Connection arrangements | Cross connection (B1). / Parallel connection (B2). |
| Installation | Above ground, buried in ground, embedded in concrete. |
| Can be connected above ground with | Al, Cu, Cu/eSn, Stainless Steel (SSt), St/eCu, St/tZn. |

| Can be connected buried in ground with | Cu, Cu/eSn, Stainless Steel, St/eCu, St/tZn (St/tZn not simultaneously with Cu, St/eCu). | |
|---|---|--|
| Can be connected in concrete with | Cu, Cu/eSn, Stainless Steel (SSt), St/eCu, St/tZn. | |
| Tightening torque | 9 Nm. | |
| Testing as per IEC EN 62561 | | |
| The component has successfully passed the testing requirements of standard IEC EN 62561- 1 "Lightning protection system components (LPSC) – Part 1 : Requirements for connection components". Test reports No 30912 , 31097 & 31159-III by accredited laboratory as per ISO 17025. | | |
| ELEMKO management systems | | |
| • ISO 9001 • IS | • ISO 45001 | |
| Country of Origin | | |
| Greece | | |
| Unit: piece / Package: 25 pieces | | |
| We reserve the right to introduce changes in the component due to technical evolution. | | |
| | | |

