

# Platform Home Lift

*Divas*





## ○ What is it?

100% Made in Italy, the Movilift lifting platform is suitable for any type of architectural context. It is distinguished by its silence, reliability, safety and ease of installation.

In case of main supply interruption the machine automatically returns to the lowest floor.

It can be installed in new buildings or existing buildings and it is possible to provide a metal structure for interior or exterior.

It can be completely customized in coatings and accessories and is a safe and certified product.

## ○ Certificates

All Divas lift models carry the CE mark and are subjected to extensive testing and quality control before leaving our factory. Our lifts comply with the Machinery Directive 2006/42/EC and applicable European Standards.

Lifts are delivered with the following documentation:

Type certificate, Declaration of Conformity.

## ○ Hydraulic Platform Datasheet

<b>Traction</b>	hydraulic with control unit installed near the shaft, or in a cabinet
<b>Capacity</b>	from 250 kg to 650 kg
<b>Maneuver</b>	maneuver APB or automatic in the cabin and automatic on the floor
<b>Stops</b>	up to 6
<b>Travel</b>	max 15000 mm
<b>Minimum headroom</b>	2400 mm with manual doors, 2600 mm with automatic doors
<b>Minimum pit</b>	150mm (with linoleum floor or 180mm with marble ones)
<b>Speed</b>	0,15 m/s (on request 0,30 m/s - slow lift)
<b>Doors</b>	automatic or swing
<b>Power supply</b>	220V - one-phase / three-phase
<b>Motor power</b>	from 1.5 to 4 kw

## ○ Electric Platform Datasheet

<b>Traction</b>	gearless motor
<b>Capacity</b>	from 250 kg to 400 kg
<b>Maneuver</b>	maneuver APB or automatic in the cabin and automatic on the floor
<b>Stops</b>	up to 7
<b>Travel</b>	max 25000 mm
<b>Minimum headroom</b>	2450 mm with manual doors, 2600 mm with automatic doors
<b>Minimum pit</b>	160mm (with linoleum floor or 180mm with marble ones)
<b>Speed</b>	0,15 m/s or 0,30 m/s
<b>Doors</b>	automatic or swing
<b>Power supply</b>	220V - one-phase / three-phase
<b>Motor power</b>	from 0.6 to 2.2 kw



Standard

<b>Entrances</b>	1 or 2 opposite or adjacent accesses.
<b>Landing doors</b>	Hinged with standard window or automatic with central or side opening.
<b>Landing operation panel</b>	Flush mounted Inox operating panel with braille push buttons, open door, alarm and / or display for floor indication.
<b>Cabin</b>	Plasticized steel walls sheets with stainless steel finishes, linoleum floor, white 4 LED spotlights ceiling, half-wall mirror with handrail, roof with hatch and photocell barrier.
<b>Car operating panel COP</b>	Mechanical side removable column with braille push buttons, open door, alarm maintenance key, LCD display and emergency light / capacity plate.
<b>Cabin doors</b>	On automatic platform, finishes are like cabin walls.





Options

<b>Hinged doors</b>	Blinded, panoramic with transparent glass or custom. RAL painting or steel coating ***. Fire- fighting version EI 60 - EI 120.
<b>Automatic landing doors</b>	2AT type (two telescopic), 3AT (3 telescopic panels), 2AO (two opposite central panels), 4AO (four opposite central panels), blind or panoramic. RAL painting, plasticized steel sheet. Fire-fighting version EI60 - EI 120.
<b>Landing operating panel LOP</b>	Enabling calls key, TFT display, floor indicators (out of service, direction arrows, alarm, indicator).
<b>Car operating panel COP</b>	Enabling calls key, independent call key, cabin fan switch, cabin light switch, TFT display with customization of the capacity plate with customer logo, loudspeaker cut-out.
<b>Cabin doors</b>	In plasticized sheet, steel or panoramic.
<b>Cabin</b>	Full-wall mirror, bidirectional communication device, panoramic walls, special steel finishes. Ceiling with different finishes, vocal synthesis, protection bumper strips. Predisposition for bottom coating.
<b>Supporting structure</b>	Press-folded sheet metal for exteriors and interiors with bolted elements. Finishes with RAL painting. Buffering with laminated glass or insulated panels and / or sheets.





## Manual doors drawings



DC1	DC1/1	DC1/2	DC1/3	DC1/4	DC1/5	DC1/6	DC1/7	DC1/8	DC1/9
CABIN WIDTH	830	830	830	1030	1030	1030	830	1130	1030
CABIN DEPTH	830	1030	1300	1300	1030	830	1200	1400	1400
SHAFT WIDTH	1160	1160	1160	1360	1360	1360	1160	1460	1360
SHAFT DEPTH	950	1150	1450	1450	1150	950	1350	1550	1550
DOOR OPENING	750	750	750	950	950	950	750	900	950
CAPACITY	300	300	340	400	340	340	300	400	400
PERSONS	♿ 3	♿ 3	♿ 3	♿ 3	♿ 3	♿ 3	♿ 3	♿ 3	♿ 3




DL1	DL1/1	DL1/2	DL1/3	DL1/4	DL1/5	DL1/6	DL1/7
CABIN WIDTH	830	1030	1300	1300	1030	830	830
CABIN DEPTH	830	830	830	1030	1030	1030	1200
SHAFT WIDTH	1030	1230	1530	1530	1230	1030	1030
SHAFT DEPTH	1106	1106	1106	1306	1306	1306	1476
DOOR OPENING	750	950	950	950	950	750	750
CAPACITY	300	300	340	400	340	340	400
PERSONS	♿ 3	♿ 4	♿ 4	♿ 5	♿ 4	♿ 4	♿ 5

DA2	DA2/1	DA2/2	DA2/3	DA2/4	DA2/5	DA2/6	DA2/7	DA2/8
CABIN WIDTH	830	830	830	1030	1030	1030	1200	1200
CABIN DEPTH	830	1030	1300	1300	1030	830	830	1200
SHAFT WIDTH	1106	1106	1106	1306	1306	1306	1476	1476
SHAFT DEPTH	975	1175	1445	1445	1175	975	975	1345
DOOR OPENING	750	750	750	950	950	950	950	950
DOOR OPENING	750	950	950	950	950	750	750	950
CAPACITY	300	300	340	400	340	340	400	400
PERSONS	♿ 3	♿ 4	♿ 4	♿ 5	♿ 4	♿ 4	♿ 5	♿ 5

DP2	DP2/1	DP2/2	DP2/3	DP2/4	DP2/5	DP2/6	DP2/7	DP2/8
CABIN WIDTH	830	830	830	1030	1030	1030	830	1130
CABIN DEPTH	830	1030	1300	1300	1030	830	1200	1400
SHAFT WIDTH	1160	1160	1160	1360	1360	1360	1160	1460
SHAFT DEPTH	920	1120	1390	1390	1120	920	1290	1490
DOOR OPENING	750	750	750	950	950	950	750	900
CAPACITY	300	300	340	400	340	340	300	400
PERSONS	♿ 3	♿ 4	♿ 4	♿ 5	♿ 4	♿ 4	♿ 4	♿ 5



## Automatic doors drawings



DC1 - 2AT	DC1/1	DC1/2	DC1/3	DC1/4	DC1/5	DC1/6
CABIN WIDTH	830	830	1030	1030	830	980
CABIN DEPTH	1030	1300	1300	1030	1200	1200
SHAFT WIDTH	1160	1160	1350	1350	1160	1310
SHAFT DEPTH	1290	1590	1590	1290	1490	1490
DOOR OPENING	650	650	750	750	650	750
CAPACITY	300	340	400	340	300	400
PERSONS	♿ 4	♿ 4	♿ 5	♿ 4	♿ 4	♿ 4

DL1 - 2AT	DL1/1	DL1/2	DL1/3
CABIN WIDTH	1030	1300	1030
CABIN DEPTH	830	830	1030
SHAFT WIDTH	1460	1460	1460
SHAFT DEPTH	1240	1240	1440
DOOR OPENING	850	850	850
CAPACITY	300	340	340
PERSONS	♿ 4	♿ 4	♿ 4


DP2 - 2AT	DP2/1	DP2/2	DP2/3	DP2/4	DP2/5
CABIN WIDTH	830	830	1030	1030	830
CABIN DEPTH	1030	1300	1300	1030	1200
SHAFT WIDTH	1160	1160	1350	1350	1170
SHAFT DEPTH	1382	1652	1652	1382	1552
DOOR OPENING	650	650	750	750	650
CAPACITY	300	340	400	340	300
PERSONS	♿ 4	♿ 4	♿ 5	♿ 4	♿ 4

\* on request it's possible to realize the DIVAS platform with non-standard dimensions.


\*\* on electric platforms, shaft dimensions, counterweight side, are 5 cm more, compared to the above.



### Stainless steel




### Plam





### RAL painting



### Wood laminates





### ○ Limoleum



531  
VEINED WHITE



542  
VEINED BEIGE



453  
SPOTTED WHITE



171  
CEMENT GREY



672  
MARBLED GREY



645  
MARBLED RED



442  
SPOTTED GREY



674  
MARBLED BLACK



631  
MARBLED BEIGE



628  
MARBLED YELLOW



640  
MARBLED SALMON



632  
MARBLED BROWN



639  
MARBLED RUST



669  
MARBLED BLUE



652  
MARBLED GREEN

### ○ Bubbled rubber



870  
GREY



881  
BLACK


### ○ Steel and aluminium



901  
RICE GRAIN  
STAINLESS STEEL  
AISI-304



902  
TREADTEX  
STAINLESS STEEL  
AISI-316



903  
SATIN  
STAINLESS STEEL 5WL  
AISI-304 (OPT. AISI 316)



904  
RICE  
GRAIN  
ALUMINIUM




903  
STRIPED  
METAL  
SHEET

### ○ Rocksolid



607



616



677




630



TERRACOTTA




DARK CHOCOLATE



609




2402



TITAN GREY


### ○ Natural stone



BIANCO DI CARRARA



BEIGE SAHARA



GRANITO NERO AFRICA





## Suspended ceilings



**L04**  
WITH ROUND LED SPOTLIGHTS



**L16**  
SINGLE LED BAR



**L17**  
DOUBLE LED BAR



**L18**  
PERIMETER MINI-LED



**L19**  
WITH SPOTLIGHT IN CIRCULAR PATTERNS



**L04Q**  
WITH SQUARE LED SPOTLIGHTS



**L08**  
RANDOM MULTI-ROUND



**L09**  
MULTI-SQUARED



**L10**  
PROSPECTIVE



**L11**  
OPALINE

## Colours and finishing

## accessories

### Handrails



**C01**  
ROUND SATIN STAINLESS STEEL



**C02**  
ROUND POLISHED STAINLESS STEEL



**C03**  
RECTANGULAR SATIN STAINLESS STEEL



**C04**  
RECTANGULAR POLISHED STAINLESS STEEL



**C05**  
ROUND POLISHED STAINLESS STEEL  
WITH CURVED CORNERS



**C05**  
ROUND SATIN STAINLESS STEEL  
WITH CURVED CORNERS



**C07**  
"STEEL COLOUR" CUSTOMISED RANGE



## Automatic doors

Automatic doors with RAL painting of your choice, steel with customizable finishes, plalam or panoramic glasses with frame glass.



1 RAL



2 STEEL



3 PLALAM



4 PANORAMIC

## Hinged doors

Blind doors with either standard or panoramic windows. The doors can be also steel covered. Locks and handle included.



1 BLIND



2 STANDARD



3 PANORAMIC



4 ALUMINUM

\* on request steel



## Car operating panel



### Options

Equipped with the cabin column, you can choose the TFT 7" Marlin display or the Rainbow LCD display combined with the Label 57 emergency light capacity plate. Marlin EVO TFT has an integrated voice synthesizer with messages, music and announcements.



1 LCD



2 TFT

### Options

4.3" TFT display IPPOCAMPO with customizable images and data.



## Landing operating panels



1 RUBENS



2 FLAT



3 MAKALU

*Inox finishes*



Via Napoli, 350 80053 Castellammare di Stabia (NA) - Italy  
Tel: +39 081.8713646  
Fax: +39 081.19308204

E-mail: [info@liftexport.com](mailto:info@liftexport.com)  
[www.divaslift.com](http://www.divaslift.com)  
VAT: 03971331214